

Technical Data Sheet

ICC-Ethoxylated Products

Trade Name: NPE30

Chemical Name: NONYL PHENOL ETHOXYLATE 30

Grade: Chemical

CAS Name: poly ethylene glycol isononyl phenol ether

Nonyl phenol Ethoxylates are non-ionic surfactants obtained by adding Ethylene oxide (EO) to nonyl phenol. The nonyl phenol Ethoxylates designated by the name "NPE" followed by a number indicating the average number of ethylene oxide molecules added.

Application

NPE30 is a non-ionic surfactant for the detergents and chemical industries. It is used in the detergents, textile processing, leathers agrochemical and paints.

Storage and Handling

NPE30 should be stored in a dry covered area at a fair distance from sources of heat or ignition. The extinguishing agents are carbon dioxide and dry chemical powder.

Recommended materials to store, handling and distribution NPE30 are stainless steel, carbon steel, galvanized steel and carbon steel coated with epoxy or PVC or polyester.

These products exhibit a slow increase in color when held for extended periods of time at above about 80°C in the presence of air.

Shelf life: 24 months from the date of manufacture.

TEST	STANDARD TEST METHOD	RESULT
Appearance at 20°C	_	Solid
Color at 50°C, APHA	ASTM D-1209	Max. 25
Average molecular weight, g/mol	Calculated	1440-1640
pH (5% in water)	ASTM D-1172	5-7
Cloud point, °C (1% in 10%wt NaCl sol.)	ASTM D-2024	74-79
Density at 25°C, g/ml	ASTM D-1298	
Hydroxyl value, mg KOH/g	ASTM D-4252	35-40
HLB, calculated	Calculated	17.1
Water, percent	_	
Polyethylene glycol, percent	_	
Viscosity at 25°C, cP	_	_

Safety

NPE30 is not irritating to the eyes or skin, however when handling pure chemical products, we recommend the use of individual protection equipment such as PVC gloves, safety goggles and an apron.

In the event of accidental contact, proceed as follows:

Eyes: wash immediately with plenty of water for at least 15 minutes.

Skin: wash the area affected with plenty water and remove contaminated clothing.

Ingestion: seek medical care urgently.